

INTUITIVE

# Da Vinci X/Xi System Instrument and Accessory Catalog

January 2023



# Table of contents

## 8 mm EndoWrist instruments

- 03 EndoWrist® monopolar cautery instruments
- 03 EndoWrist bipolar cautery instruments
- 04 EndoWrist clip appliers
- 04 EndoWrist needle drivers
- 05 EndoWrist graspers
- 05 EndoWrist scissors
- 06 Specialty instruments
- 06 Ultrasonic energy instrument
- 06 Suction irrigation
- 06 Vessel Sealer Extend
- 06 SynchroSeal

## Stapling components

- 07 SureForm™ stapler instruments
- 07 SureForm stapler reloads
- 07 EndoWrist stapler instruments
- 08 EndoWrist stapler reloads
- 08 EndoWrist stapler accessories
- 08 12 mm and stapler access system

## Accessories

- 09 Da Vinci X® drapes
- 09 Da Vinci Xi® drapes
- 09 Hasson cone
- 09 Reusable accessories
- 10 8 mm cannulas, obturators, and seals
- 10 8 mm disposable instrument accessories

## Vision equipment

- 11 8 mm endoscopes
- 11 Sterilization tray
- 11 Handheld camera and accessories

## Energy accessories

- 12 Energy activation cables
- 12 Energy instrument cords

## Da Vinci Xi upgrade options


- 12 Skills Simulator™
- 12 Integrated table motion
- 13 Training equipment
- 14 Recommended spares and equipment

## 5 mm Single-Site instruments and accessories

- 16 Single-Site® instruments
- 17 Single-Site reusable accessories
- 17 Single-Site disposable accessories
- 18-19 Common carton dimensions and weights
- 20-21 Ordering and terms

## 8 mm instruments

### EndoWrist monopolar cautery instruments



**Monopolar curved scissors  
(Hot shears)**

Part number | 470179

10 uses

Shown with tip cover accessory | 400180



**Permanent cautery hook**

Part number | 470183

10 uses



**Permanent cautery spatula**

Part number | 470184

10 uses


### EndoWrist bipolar cautery instruments



**Maryland bipolar forceps**

Part number | 471172

14 uses



**Fenestrated bipolar forceps**

Part number | 471205

14 lives



**Curved bipolar dissector**

Part number | 471344

14 uses



**Micro bipolar forceps**

Part number | 471171


14 uses



**Long bipolar grasper**

Part number | 471400

14 uses



**Force bipolar**

Part number | 471405

12 uses

# 8 mm instruments

## EndoWrist clip appliers



### Medium-large clip applier<sup>1</sup>

Part number	470327
100 closures	
Validated for use only with Weck Hem-o-lok® medium-large polymer clip.	Weck product code #544230
Shown with Weck Hem-o-lok medium-large polymer clip	



### Large clip applier<sup>2</sup>

Part number	470230
100 closures	
Validated for use only with Weck Hem-o-lok® large polymer clip.	Weck product code #544240
Shown with Weck Hem-o-lok large polymer clip	



### Small clip applier<sup>3</sup>

Part number	470401
100 closures	
Validated for use only with Weck Horizon™ small-wide titanium clip.	Weck product code #001201 or #001205
Shown with Weck Horizon small-wide titanium clip	

## EndoWrist needle drivers



### Large needle driver

Part number	471006
15 uses	



### Mega SutureCut™ needle driver

Part number	471309
15 uses	



### Mega™ needle driver

Part number	470194
10 uses	



### Large SutureCut needle driver

Part number	471296
15 uses	

<sup>1</sup> Weck Hem-o-lok medium-large polymer clip (Weck product code #544230) is the only compatible clip used with this instrument. To order, contact Teleflex Medical ([www.teleflex.com](http://www.teleflex.com)) or your local distributor.

<sup>2</sup> Weck Hem-o-lok large polymer clip (Weck product code #544240) is the only compatible clip used with this instrument. To order, contact Teleflex Medical [www.teleflex.com](http://www.teleflex.com) or your local distributor.

<sup>3</sup> Weck Horizon small-wide titanium clip (Weck product code #001201 or #001205) is the only compatible clip used with this instrument. To order, contact TeleflexMedical [www.teleflex.com](http://www.teleflex.com) or your local distributor.

## 8 mm instruments

### EndoWrist graspers



**ProGrasp<sup>™</sup> forceps**

Part number | 471093

18 uses



**Tenaculum forceps**

Part number | 470207

10 uses



**Long tip forceps**

Part number | 471048

18 uses



**Tip-Up fenestrated grasper**

Part number | 470347

10 uses



**Small Graptor<sup>™</sup>  
(grasping retractor)**

Part number | 470318

10 uses



**Cadiere forceps**

Part number | 471049

18 uses




**Cobra grasper**

Part number | 471190

18 uses

### EndoWrist scissors



**Potts scissors**

Part number | 470001

10 uses



**Round tip scissors**

Part number | 470007

10 uses

## 8 mm instruments

### Specialty instruments



**Resano forceps**

Part number | 470181

10 uses



**Atrial retractor short right**

Part number | 470246

10 uses



**Dual blade retractor**

Part number | 470249

10 uses



**Black diamond micro forceps**

Part number | 470033

15 uses



**Cardiac probe grasper**

Part number | 470215

10 uses



**DeBakey forceps**

Part number | 470036

10 uses

### Ultrasonic energy instruments



**Harmonic ACE® curved shears**

Part number | 480275

Box of 6/single use

### Suction irrigation



**EndoWrist suction irrigator\***

Part number | 480299

Box of 6/single use

\*This product requires software version P6\_B443 or newer.

### Vessel sealer extend




**Vessel sealer extend**

Part number | 480422

Box of 6/single use

### SynchroSeal






**SynchroSeal**

Part number | 480440










Box of 6/single use

# Da Vinci® stapling components



## SureForm stapler instruments

	Item code	Product description	Qty/box	Uses
	480460	SureForm 60 instrument	6	Single use
	480445	SureForm 45 instrument	6	Single use
	480545	SureForm 45 curved-tip instrument	6	Single use

## SureForm stapler reloads





	Item code	Product description	Qty/box	Uses
	48360W	Reload, SureForm 60, 2.5 white	6-row 12	1 firing
	48360B	Reload, SureForm 60, 3.5 blue	6-row 12	1 firing
	48360G	Reload, SureForm 60, 4.3 green	6-row 12	1 firing
	48360T	Reload, SureForm 60, 4.6 black	6-row 12	1 firing
	48345M	Reload, SureForm 45, 2.0 gray	6-row 12	1 firing
	48345W	Reload, SureForm 45, 2.5 white	6-row 12	1 firing
	48345B	Reload, SureForm 45, 3.5 blue	6-row 12	1 firing
	48345G	Reload, SureForm 45, 4.3 green	6-row 12	1 firing
	48345T	Reload, SureForm 45, 4.6 black	6-row 12	1 firing

## EndoWrist stapler instruments



	Item code	Product description	Qty/box	Uses
	470430	EndoWrist stapler 30 instrument	1	50 firings
	470530	EndoWrist stapler 30 curved-tip instrument	1	50 firings

# Da Vinci stapling components









## EndoWrist stapler reloads

	Item code	Product description	Qty/box	Uses
	48630M	Reload, EndoWrist 30, 2.0 gray 6-row	12	1 firing
	48630W	Reload, EndoWrist 30, 2.5 white 6-row	12	1 firing
	48630B	Reload, EndoWrist 30, 3.5 blue 6-row	12	1 firing
	48630G	Reload, EndoWrist 30, 4.3 green 6-row	12	1 firing

## EndoWrist stapler accessories

	Item code	Product description	Qty/box	Uses
	410370	EndoWrist stapler sheath (box of 10)	10	1 procedure
	381215	EndoWrist stapler release kit	1	NA

## 12 mm and stapler access system

	Item code	Product description	Qty/box	Uses
	470375	12 mm and stapler cannula (100 mm)	1	NA
	470376	12 mm and stapler blunt obturator	1	NA
	470389	12 mm and stapler cannula, long (150 mm)	1	NA
	470390	12 mm and stapler blunt obturator, long	1	NA
	470380	12 mm and stapler cannula seal (box of 10)	10	1 procedure
	470381	12 - 8 mm reducer (box of 6)	6	1 procedure
	470395	12 mm and stapler bladeless obturator	1	NA
	470396	12 mm and stapler bladeless obturator, long	1	NA



## Accessories



### Da Vinci X drapes

Item code	Product description	Qty/box
470015	Arm drape (box of 20)	20
470473	Arm-4 extension drape (box of 20)	20

### Da Vinci Xi drapes

Item code	Product description	Qty/box
470015	Arm drape (box of 20)	20
470341	Column drape (box of 20)	20

### Hasson cone

	Item code	Product description	Qty/box
	470398	8 mm hasson cone	1
	470399	12 mm hasson cone	1

### Reusable accessories








Item code	Product description	Qty/box
381216*	Instrument release kit (IRK)	1
470397	Gage pin (box of 3)	3
380989	Blue fiber cable kit	1
342562	Instrument introducer	1

\*Documentation is listed in English only.

Note: For other languages contact customer service. Documentation may not be available in all languages.

## Accessories

### 8 mm cannulas, obturators, and seals



	Item code	Product description	Qty/box
	470361	5 mm - 8 mm cannula seal (box of 10)	10
	470002	8 mm cannula	1
	470004	8 mm cannula, long	1
	470008	8 mm blunt obturator	1
	470009	8 mm blunt obturator, long	1
	470359	8 mm bladeless obturator (optical) (box of 6)	6
	470360	8 mm bladeless obturator, long (optical) (box of 6)	6

### 8 mm disposable instrument accessories


	Item code	Product description	Qty/box
	400180	Tip cover accessory (box of 10)	10

## Vision equipment





### 8 mm endoscopes

	Item code	Product description
	470056	8 mm endoscope plus, 0°
	470057	8 mm endoscope plus, 30°

### Sterilization tray



	Item code	Product description
	400498	8 mm endoscope sterilization tray (stainless steel) (640 mm x 390 mm x 80 mm)

### Handheld camera and accessories



	Item code	Product description
	470035	Handheld camera
	470042	Handheld camera light guide cable (includes adapter)
	470051	Handheld camera removable light guide adapter
	400499	Handheld camera sterilization tray (300 mm x 240 mm x 68 mm)

## Energy accessories






### Energy activation cables

	Item code	Product description	Qty/box
	371716	Energy activation cable, Covidien, Force Triad	1
	371870	Energy activation cable, Ethicon, Gen 11	1


### Energy instrument cords

	Item code	Product description	Qty/box
	470383	Monopolar energy instrument cord (13 ft. / 4 m)	1
	470384	Bipolar energy instrument cord (17 ft. / 5 m)	1

## Da Vinci simulation

	Item code	Product description	Qty/box
	373373	Skills Simulator <sup>1</sup>	1
	381129	Blue fiber cable, simulator	1
	372363	Simulator skills drills	1
	600092	Da Vinci SimNow <sup>®</sup> service and benefits (annual)	1
	377773	Da Vinci SimNow simulator	1

## Da Vinci Xi integrated table motion

	Item code	Product description	Qty/box
	600062	Integrated table motion hardware and software upgrade <sup>1</sup>	1

<sup>1</sup> The TS 7000dV table is sold and serviced by Hillrom. To order, contact Hillrom ([www.hillrom.com](http://www.hillrom.com)).

# Training equipment

## Training instruments

Item code	Product description	Uses
470006-T	Large needle driver	30
470093-T	ProGrasp forceps	30
470347-T	Tip-Up fenestrated grasper	30
470400-T	Long bipolar grasper	30
470172-T	Maryland bipolar forceps	30
470179-T	Monopolar curved scissors (Hot shears) <sup>1,2</sup>	30
470183-T	Permanent cautery hook	30
470184-T	Permanent cautery spatula	30
470205-T	Fenestrated bipolar forceps	30
470405-T	Force bipolar	30
470309-T	Mega SutureCut needle driver	30
470230-T	Large clip applier <sup>3</sup>	200 closures
470318-T	Small Graptor (grasping retractor)	30
470344-T	Curved bipolar dissector	30
470327-T	Medium-large clip applier <sup>4</sup>	200 closures
470049-T	Cadiere forceps	30
470296-T	Large SutureCut needle driver	30
470194-T	Mega needle driver	30
470401-T	Small clip applier <sup>5</sup>	200 closures

<sup>1</sup> Requires Tip Cover Accessory (PN 400180) for use. <sup>2</sup> Requires in-service prior to first use, please contact your local Intuitive representative. <sup>3</sup> Compatible with Weck Hem-o-lok Large Polymer Clips. Weck product code #544240. <sup>4</sup> Compatible for use with Weck Hem-o-lok medium-large polymer clip. Weck product code #544230. <sup>5</sup> Compatible for use with Weck Horizon small-wide titanium clip. Weck product code #001201 or #001205.

Notes: (a) Training instruments are not approved for human use. (b) Training instruments can be readily identified by the red instrument housing. (c) Red instrument icons persist on the monitors when a training instrument is loaded onto the system. (d) The training instrument warranty covers only defects in manufacturing. Upon first use, the warranty expires.

## Recommended spares and equipment

Item code	Page number	Product description
Multiple	11	Endoscope with camera
380989	9	Blue fiber cable kit
Multiple	3-7, 16	EndoWrist instruments
Multiple	10	Instrument cannula
381216	9	Instrument release kit (IRK) (item provided free of charge)
470397	9	Gage pin (set of 3) (item provided free of charge)
470629	14	<p><b>Universal reprocessing hardware kit includes:</b></p> <ul style="list-style-type: none"> <li>· Luer fitting for flushing</li> <li>· Pipe-to-hose adapter</li> <li>· Brush with soft, nylon bristles</li> <li>· Tip cover insertion/removal tool for monopolar curved scissors (Qty. 5)</li> </ul>

# 5 mm Single-Site

Instruments and accessories

## Single-Site® 5 mm instruments



**Maryland dissector**

Part number	478050
10 uses	



**Crocodile grasper**

Part number	478059
10 uses	



**Medium-large clip applier**

Part number	478053
80 closures	

Validated for use with Weck Hem-o-lok medium-large polymer clip.	Weck product code #544230
--	---------------------------



**Maryland bipolar forceps**

Part number	478080
Box of 6/single use	



**Suction irrigator**

Part number	478054
20 uses	



**Curved needle driver**

Part number	478088
10 uses	



**Cadiere forceps/grasper**

Part number	478055
10 uses	




**Permanent cautery hook**

Part number	478090
10 uses	



**Curved scissors**

Part number	478057
7 uses	



**Fenestrated bipolar forceps**

Part number	478093
Box of 6/single use	



**Fundus grasper**

Part number	478058
10 uses	















**Wristed needle driver**

Part number	478115
10 uses	




## Single-Site reusable accessories

### Single-Site cannulae and obturators

	Item code	Product description	Qty/box
	478263	8 mm camera cannula	1
	478008	8 mm blunt obturator	1
	478013	5 mm blunt obturator	1
	478060	5 mm accessory cannula	1
	478061	5 x 300 mm curved cannula, camera right	1
	478062	5 x 300 mm curved cannula, camera left	1
	428064	5 x 300 mm flexible blunt obturator	1
	478071	5 x 250 mm curved cannula, camera right	1
	478072	5 x 250 mm curved cannula, camera left	1
	428074	5 x 250 mm flexible blunt obturator	1
	428076	10 mm accessory cannula	1
	428084	10 mm blunt obturator	1

## Single-Site disposable accessories

### Single-Site seal and port

	Item code	Product description	Qty/box
	478161	Da Vinci Xi Single-Site seal (instruments + camera) (box of 10)	10
	478065	Single-Site port (for 8.5 mm endoscope) (box of 10)	10

## Common carton dimensions and weights

Item	Item code	Outside dimensions	Average weight
Vessel sealer extend	480422		
SynchroSeal	480440	28.75" x 6" x 2.875" 73 cm x 15.24 cm x 7.3 cm	1.28 lbs 0.58 kg
Harmonic ACE curved shears	480275		
Seals	470361	10.375" x 3.75" x 4.3125" 26.35 cm x 9.53 cm x 10.95 cm	0.88 lbs 0.4 kg
	470380		0.93 lbs 0.42 kg
Tip cover	400180	9.4" x 3.4" x 3" 23.876 cm x 8.636 cm x 7.62 cm	0.4 lbs 0.18 kg
Cannula	470002	14" x 5.5" x 4" 35.56 cm x 13.97 cm x 10.16 cm	0.8 lbs 0.36 kg
	470004		
Obturators	470008	14" x 5.5" x 4" 35.56 cm x 13.97 cm x 10.16 cm	0.7 lbs 0.31 kg
	470009		
Bladeless obturators	470359	13" x 4.5" x 11.1875" 33.02 cm x 11.43 cm x 28.416 cm	2.006 lbs 0.91 kg
	470360		2.025 lbs 0.92 kg
Drapes	470015	21" x 19" x 10.5" 53.34 cm x 48.26 cm x 26.67 cm	21 lbs 9.5 kg
	470341	14" x 6.5" x 5" 35.56 cm x 16.51 cm x 12.7 cm	3.7 lbs 1.7 kg
EndoWrist Stapler 30 instrument	470430	31" x 5.75" x 2.75"	2.40 lbs 1.08 kg
EndoWrist Stapler 30 curved-tip instrument	470530	31" x 5.75" x 2.75"	2.40 lbs 1.08 kg

## Common carton dimensions and weights

Item	Item code	Outside dimensions	Average weight
EndoWrist Stapler 30 mm gray reload	48630M-02		
EndoWrist Stapler 30 mm white reload	48630W-02	7.25" x 6.00" x 6.50"	1.10 lbs
EndoWrist Stapler 30 mm blue reload	48630B-02		0.5 kg
EndoWrist Stapler 30 mm green reload	48630G-02		
Energy instrument cords	470383	9.625" x 6.3125" x 1.25"	0.5 lbs
		24.45 cm x 16.03 cm x 3.175 cm	0.23 kg
	470384		0.57 lbs
			0.26 kg
Hasson cones	470398	14" x 5.5" x 4"	1.7 lbs
		35.56 cm x 13.97 cm x 10.16 cm	0.77 kg
	470399		1.8 lbs
			0.8 kg
<b>Instruments:</b> needle drivers, scissors, forceps, graspers and clip appliers, etc.	Most	27" x 3.5" x 2" 68.58 cm x 5.08 cm x 8.9 cm	1.08 lbs 0.49 kg

# Ordering and terms\*

## Ordering methods

Purchase orders accepted:

<b>EDI (preferred)</b>	Global Health Exchange (GHX)	<b>E-mail</b>	Intuitiveorders@GHXGFAX.com
<b>Fax</b>	408.523.2377	<b>Customer Support</b>	800-876-1310 (option 3)

## Terms

**Payment terms** Net 30 days

**Delivery** Estimated two-day standard delivery for instruments and accessories\*.  
System upgrades delivered upon availability.  
Standard shipping terms: FCA Intuitive warehouse (Incoterms 2010).  
All orders are subject to inventory availability.  
A \$9.95 handling charge will be applied for any shipments using a customer designated carrier.  
Intuitive does not carry additional insurance for customers using their own carrier accounts. It is recommended that customers carry their own additional insurance when choosing to use their carrier account.  
Tracking information for instruments, accessories, and endoscopes can be found on the My Intuitive customer portal. Additionally, you may opt in to get automated emails with order confirmation and tracking by calling 800-876-1310 (option 3) and providing your site name and email recipient.

**Price policy** Pricing subject to change without notice, applicable taxes, and freight charges may apply.

**Return goods policy** All returns are authorized through Intuitive Customer Service. Please visit the My Intuitive customer portal at [my.intuitive.com](http://my.intuitive.com) or call toll-free at 800-876-1310 (option 3) to obtain a Return Material Authorization (RMA) number (RMA#). All items must be accompanied with a valid RMA# and are requested to be received within 14 days of issuance or the RMA could be subject to cancellation. Intuitive will prepay for the return of the defective instrument(s).

### Defective returns

- Upon identification of a defective instrument, please report the issue to Intuitive Customer Service or through the My Intuitive customer portal within five days.
- Prior to returning to Intuitive, items must be cleaned and decontaminated in accordance with current local environmental safety laws and standards.

### Excess returns

- Items are required to be in the original packaging with no markings, seals intact, and to have been purchased within the last 12 months.
- Package excess returned inventory in a separate shipping container to prevent damage to original product packaging.

**Credit policy** Intuitive will issue credit against original purchase order after full inspection is complete.

### Credit for defective returns

- Intuitive will issue credit on products based on failure analysis performed and individual warranty terms.
- For reusable instruments, credit will be issued for the remaining lives, plus one additional life to compensate for usage at the time the issue was identified. For disposable instruments, credit will be issued for the unit price.
- Evidence of negligence, misuse and mishandling will not qualify for credit.

### Credit for excess-inventory returns

- A 15% restocking fee may apply to bulk excess returns based on nonconforming return requests.
- Original instrument packaging must be unmarked, undamaged and seals intact to qualify for credit.
- For disposable items, the original shipping packaging must remain intact as originally shipped: unmarked, undamaged, and unopened and credit will be issued for the purchase price.
- Products that were shipped less than 12 months prior to return request.
- If the product is within expiration date.
- Intuitive must retain all returned product.

## Ordering and terms\* (continued)

<b>Warranty</b>	<p><b>Warranties are applied for manufacturing defects</b></p> <ul style="list-style-type: none"> <li>• Endoscope, camera, simulator, and system upgrades—one-year warranty</li> <li>• Accessories—90-day warranty</li> <li>• Instruments—see above for credit terms</li> </ul>
<p>Any term or condition contained in your purchase order or similar forms which is different from, inconsistent with, or in addition to these terms shall be void and of no effect unless agreed to in writing and signed by your authorized representative and an authorized representative of Intuitive.</p> <p>*FedEx is the Intuitive-preferred courier.</p> <p>For questions please contact Intuitive Customer Service at 800-876-1310 (option 3).</p>	
<b>Use of simulator</b>	<p>Customer will ensure the proper use of the simulator consistent with the documentation, and customer will ensure the proper management and supervision of the simulator. Customer will not, nor will customer permit any third party to, modify, disassemble, reverse engineer, alter, or misuse the simulator. Prohibited actions include, but are not limited to: (1) adding or subtracting any customer or third-party equipment, hardware, firmware, or software to or from the simulator, or (2) reconfiguring any of the Intuitive equipment, hardware, firmware, or software as originally provided to customer as part of the simulator without Intuitive’s express written permission.</p>
<b>Data use</b>	<p>Customer agrees that Intuitive and its affiliates within the Intuitive group of companies (collectively, “Intuitive”) may collect data relating to the use of Intuitive products (“Data”). In some instances Data may be communicated via data gathering or transmission technology to Intuitive. In other instances, Intuitive may request customer and customer agrees to provide Data to Intuitive. Such Data may be used for a variety of purposes, including, but not limited to (1) providing support and preventative maintenance of Intuitive products, (2) improving Intuitive products or services, (3) ensuring compliance with applicable laws and regulations, and (4) providing a general resource for Intuitive’s research and business development. Intuitive does not intend to collect protected health information (PHI) as defined by the Health Insurance Portability and Accountability Act of 1996 (HIPAA) or analogous foreign patient privacy laws or regulations, as may be amended from time to time. In the event any Data communicated to Intuitive identifies an entity or individual, Intuitive will not share such Data with any third parties without the entity’s or individual’s consent, unless required by law or regulatory authorities.</p>
<b>Software license and restrictions</b>	<p>Software embedded within the simulator is provided under license and is not sold to customer. Subject to the terms and conditions of the SimNow agreement<sup>†</sup>, Intuitive grants to customer a non-exclusive, non-transferable, fully paid, restricted use license to use the software solely as incorporated in the simulator in machine-executable object code form and solely in connection with the operation of the simulator as described in the documentation. Customer must not use, copy, modify, or transfer the software or any copy thereof, in whole or in part, except as expressly provided in the SimNow agreement. In addition, customer must not reverse engineer, decompile, disassemble, attempt to derive the source code for, or otherwise manipulate the software, except that manipulation of the software is permitted if, and then only to the extent that, the foregoing prohibition on manipulation is required to be modified by applicable law. In that case, customer must first request from Intuitive the information to be sought from the software, and Intuitive may, in its discretion, provide information to customer under good faith restrictions and impose reasonable conditions on use of the software. The structure and organization of the software are valuable trade secrets of Intuitive and customer will protect the software as Intuitive’s proprietary information. Intuitive reserves all rights to the software not expressly granted to customer.</p>
<b>Networking requirements</b>	<p>Purchased equipment may require a network connection in order to achieve full functionality. Customer acknowledges that when simulator is in use, Customer is responsible for maintaining an active network connection to Intuitive simulator infrastructure as specified in the simulator’s network requirements, for the purpose of supporting all subscriptions services such as, latest simulation updates, OS patches, anti-virus updates, data backup and user account management capabilities. Customer is responsible for the security of the simulator and the security of the internal network to which the simulator is configured. Intuitive reserves the right to change, add, or remove functionalities or features at any time.</p>
<b>Information security</b>	<p>Customer is responsible for maintaining the confidentiality of its username(s), password(s), account(s), as well as all activities that occur under that account(s) and both the physical and cyber-security of the Simulator.</p> <p>*Ordering terms and conditions are subject to revision.</p> <p><sup>†</sup>Terms are for purchase of the SimNow simulator as described in the SimNow agreement.</p> <p>For questions please contact Intuitive Customer Service at 800-876-1310 (option 3).</p>

**For more information or to order, call Intuitive toll-free.**

For the name of your local distributor, call Intuitive or visit [intuitive.com](https://intuitive.com).

Call 1-800-876-1310 (toll-free)

Some products in the catalog may not be available in all countries.

**Important safety information**

For important safety information, please refer to [intuitive.com/safety](https://intuitive.com/safety).

For a product's intended use and/or indications for use, risks, full cautions, and warnings, please refer to the associated user manual(s).

© 2019 – 2023 Intuitive Surgical Operations, Inc. All rights reserved.

Product and brand names/logos are trademarks or registered trademarks of Intuitive Surgical or their respective owner.

See [intuitive.com/trademarks](https://intuitive.com/trademarks).